

Shelch book of W.A. Johnson (1816-80) given by his son, Dr. A.J. d. to Hervey Cushing & by him to the Osler Lithery 5-1 haves of extravel shitches, ca 1864-9. Weston, Same 1:1885 on the Railway, in dry, hard, high, clay. magnified. Pistilleen & The stameus appear to be six in number sessible on the top of the Three parted. Stew flat, thrited. The drawing is about the natural size.













a Poplar or aspec, 31/11/68 one of the Earliest to Horiona.







Wester March 5:/69 Lize of lige apparentle Hossom ing with the The 10. below zero. to day. Vdeep snow.





Dec: 10:1867. Maneum m bole un ter ice. Cattle grean hear Station 1/4 inch objective. A cell dividing. more advanced thread Connybliding as like of car.

Sand Mark Dec. 300: Where &

Sand Mark District of the service of



Apaderidea un lonj on both Leder. (us/h 4 inch dy'o A Equ price 27/1/1/58.























Hass. Oosterium Erenturin hery altreet, resilie closterium moniliferum? wal: with a nich


Nator, 15/11/88. A alga, pozen isto a block of floating ice A LECTICOLD ROUZINUSM foliaceum? 1. Nostoe commune 3 17/4/68. patches as some he the ditch on the G. J. R. Road. This belongs to gravelly soil no doubt it grew last autumn trow appears Covered with water. De Hassel pg. 288 + 289; Slenty of enlarged global (C) (C) The Zygnessea from the cattle greated on 9-DR. as seen wite a 4 by: where just thawed 19/11/88. It hade here frozen solid for 3 or 4 months. (Deo blue it is yellow, The alga was a good deal hoken up, no long Theads. None more than are nich & generally not more tour fa to met long.





19 19/68 Alga taken at the Ede of the Swamp. or togy place.

could it base grown the spring. All ice round
it, thying in boler just as is did last author
the diatories. Cytoblasts very clear in this. When the colorophyl draws wito a line it is unces danker some neucleus to be seen. Isil a Mesocarpus not conjugated? de such case it has grown this oforing in about 8 days freather about 32. tricay he going to conjugate.



Ramosa. (No1) Vanckeria. sembio, as seen 3/1/11/68 in a warm aspect, a dileto with 4 in water veran helow. with I wich obj. V Helmer eye piece. ternination of Syptom. Continued continued. Storres. Gotoarii bi each Third condition of the Vercicles.


Vaucheria setsetier? skuving young hanch, vformation pspore externally 3/14/68. Thehobj: 4 A Eye piece.



B. but the

B. Second process in formation of versieles. The lateral ones are seems on each side.


Here some bout the authoridian protrudy more or less from the Tunface of the Syphore. or thread. Shortly two or more sporangia protrude from the sides as they extend four. There apart the authoridium seems to be much heart, scarcely visible, would not be detected by a casual observer. The nest step is after the solder. So far this algabas grown since the spring spencel. It has leve will high progen every night.




Mulin 7/1 /68.

Branch of Cladophora glow". with me we by: + A sye prese.

4 wich. - - terminatory " Dyndaridea -




June 30:1864 Caloposon pulchellus
White Variety. (very rare)








Sin ly 1: 1864.



May 21: 1804 ( Preston) Coptis tripolia, (The leaved Goldthread) Leaves shiring venergreen. Curious petals, consisting of 5 or y club shaped bollow suded processes. Freds in prod extended Roots very numerous, Even sige, & bright yellow.

Q small grey hind. hutding in buoky hees in the Garden. delicate colour than. 21/1/68 on votton wood in the owamp 25/1/68 in the Sound 25/1/68 " the 4



down on prices or slipper. Front view average natural so. under mudu side ofslipper two authors unclosed in a covering. 4 each durisi Pollen masses 4 He meto 2 black de ( covered growing on The thickest places of 86 hagnum. Root close to the top. Calypso. borealis. he Dennis'swamp. 94/5/66. wer die die ette

Mestre 4/17/68.
Coralorkiza Maerai?
orekis facu: grey 453.
(Coral-root.) natural sege. side visus of Root.

Wester Sept 1888



ausher d black 3 f bigh. long leaves like grass setals to with 2 wary spots stamues adhering to petals at the bast who is 3 eleft. It wide at the base. Detals what white on the Edge, glacus? or glaterine by 475. frey.